Chapter 3 Figures




Figure 3-1: Observed structure-forming megafaunal invertebrates




Figure 3-2: Biogenic Areas Delineated by Oceana (added since Draft EIS)




Figure 3-3: Habitat map by sensitivity to impacts from fishing gear – dredge (updated since draft EIS).




Figure 3-3: Habitat map by sensitivity to impacts from fishing gear – bottom trawl (updated since draft EIS).




Figure 3-3: Habitat map by sensitivity to impacts from fishing gear – net (updated since Draft EIS).




Figure 3-3: Habitat map by sensitivity to impacts from fishing gear – pot and trap (updated since Draft EIS).




Figure 3-3: Habitat map by sensitivity to impacts from fishing gear – hook and line (updated since Draft EIS).




Figure 3-4: Habitat map by recovery times from impact by fishing gear - dredge (updated since Draft EIS.




Figure 3-4: Habitat map by recovery times from impact by fishing gear – bottom trawl (updated since Draft EIS.




Figure 3-4: Habitat map by recovery times from impact by fishing gear - net (updated since Draft EIS.




Figure 3-4: Habitat map by recovery times from impact by fishing gear - pot and trap (updated since Draft EIS.




Figure 3-4: Habitat map by recovery times from impact by fishing gear - hook and line (updated since Draft EIS.




Figure 3-5: Rocky substrate (updated since Draft EIS)




Figure 3-6: Benthic types off the coasts of Washington, Oregon and California (updated since Draft EIS).




Figure 3-7: Graphic showing major trawl types (copyrighted images are used by permission and may not be reproduced).




Figure 3-8: Graphic showing major trawl types from an in-water perspective (copyrighted images are used by permission and may not be reproduced).




Figure 3-9: Trawl footrope design (copyrighted images are used by permission and may not be reproduced).




Figure 3-10: Shrimp trawl gear design (copyrighted images are used by permission and may not be reproduced).

Bycatch reduction devices

Large mesh panel bycatch reduction device (Hannah and Jones)

Nordmore grate bycatch reduction device (Hannah and Jones)

Trawl efficiency device/TED (Eayrs, 1997)²¹




Figure 3-11: Bycatch reduction devices for trawl gear (copyrighted images are used by permission and may not be reproduced).

/1 This figure was incorrectly cited in the December 2005 FEIS and was modified on August 20, 2008. The correct citation is: Eayrs, S. et al. 1997. A guide to bycatch reduction in Australian prawn trawl fisheries. Australian Maritime College.




Figure 3-12: Seine gear design (copyrighted images are used by permission and may not be reproduced).




Figure 3-13: Seine gear design (copyrighted images are used by permission and may not be reproduced).




Figure 3-14: Gillnets (copyrighted images are used by permission and may not be reproduced).




Figure 3-15: Gillnet design (copyrighted images are used by permission and may not be reproduced).




Figure 3-16: Gillnet design (copyrighted images are used by permission and may not be reproduced).




Figure 3-17: Beam trawl and dredge gear (copyrighted images are used by permission and may not be reproduced).




Figure 3-18: Pot and trap gear (copyrighted images are used by permission and may not be reproduced).




Figure 3-18: Pot and trap gear (continued)(copyrighted images are used by permission and may not be reproduced).




Figure 3-19: Troll gear (copyrighted images are used by permission and may not be reproduced).




Figure 3-19: Troll gear (continued)(copyrighted images are used by permission and may not be reproduced).




Figure 3-19: Troll gear (continued)(copyrighted images are used by permission and may not be reproduced).




Figure 3-20: Rockfish Conservation Area non-trawl April-May 2003




Figure 3-21: Rockfish Conservation Area non-trawl June-August 2003




Figure 3-22: Rockfish Conservation Area non-trawl September-November 2003




Figure 3-23: Rockfish Conservation Area trawl April-May 2003




Figure 3-24: Rockfish Conservation Area trawl June-August 2003




Figure 3-25: Rockfish Conservation Area trawl September-November 2003




Figure 3-26: Yelloweye Rockfish Conservation Area, Darkblotched Rockfish Conservation Area, Cowcod Conservation Area




Figure 3-27: Marine Managed Areas - California




Figure 3-28: Marine Managed Areas - Oregon




Figure 3-29: Marine Managed Areas – Washington, Outer Coast




Figure 3-30: Marine Managed Areas - Washington, Puget Sound




Figure 3-31: Non-fishing activities




Figure 3-32: Non-fishing activities




Figure 3-33: Non-fishing activities

Chapter 3 Figures

- Figure 3-1: Observed structure-forming megafaunal invertebrates
- Figure 3-2: Biogenic Areas Delineated by Oceana (added since Draft EIS)
- Figure 3-3: Habitat map by sensitivity to impacts from fishing gear dredge (updated since draft EIS).
- Figure 3-4: Habitat map by recovery times from impact by fishing gear dredge (updated since Draft EIS.
- Figure 3-5: Rocky substrate (updated since Draft EIS)
- Figure 3-6: Benthic types off the coasts of Washington, Oregon and California (updated since Draft EIS).
- Figure 3-7: Graphic showing major trawl types (copyrighted images are used by permission and may not be reproduced).
- Figure 3-8: Graphic showing major trawl types from an in-water perspective (copyrighted images are used by permission and may not be reproduced).
- Figure 3-9: Trawl footrope design (copyrighted images are used by permission and may not be reproduced).
- Figure 3-10: Shrimp trawl gear design (copyrighted images are used by permission and may not be reproduced).
- Figure 3-11: Bycatch reduction devices for trawl gear (copyrighted images are used by permission and may not be reproduced).
- Figure 3-12: Seine gear design (copyrighted images are used by permission and may not be reproduced).
- Figure 3-13: Seine gear design (copyrighted images are used by permission and may not be reproduced).
- Figure 3-14: Gillnets (copyrighted images are used by permission and may not be reproduced).
- Figure 3-15: Gillnet design (copyrighted images are used by permission and may not be reproduced).
- Figure 3-16: Gillnet design (copyrighted images are used by permission and may not be reproduced).
- Figure 3-17: Beam trawl and dredge gear (copyrighted images are used by permission and may not be reproduced).
- Figure 3-18: Pot and trap gear (copyrighted images are used by permission and may not be reproduced).
- Figure 3-19: Troll gear (copyrighted images are used by permission and may not be reproduced).
- Figure 3-20: Rockfish Conservation Area non-trawl April-May 2003
- Figure 3-21: Rockfish Conservation Area non-trawl June-August 2003
- Figure 3-22: Rockfish Conservation Area non-trawl September-November 2003
- Figure 3-23: Rockfish Conservation Area trawl April-May 2003
- Figure 3-24: Rockfish Conservation Area trawl June-August 2003
- Figure 3-25: Rockfish Conservation Area trawl September-November 2003
- Figure 3-26: Yelloweye Rockfish Conservation Area, Darkblotched Rockfish Conservation Area, Cowcod Conservation Area
- Figure 3-27: Marine Managed Areas California

Figure 3-28: Marine Managed Areas - Oregon

Figure 3-29: Marine Managed Areas – Washington, Outer Coast

Figure 3-30: Marine Managed Areas - Washington, Puget Sound

Figure 3-31: Non-fishing activities

Figure 3-32: Non-fishing activities

Figure 3-33: Non-fishing activities